

	Type	L #	Hits	Search Text	DBs
7	BRS	L7	35093	(filter\$3 with attenuat\$4 or filter\$3 near3 ajust\$5)	US- PGPUB; USPAT; EPO; JPO
8	BRS	L8	1	6 and 7	US- PGPUB; USPAT; EPO; JPO
9	BRS	L9	4	(filter\$3 with attenuat\$4 or filter\$3 near3 ajust\$5) with (strongest near3 signal\$1 or highest near2 signal\$1 or big\$4 near2 signal\$1 or optim\$4 near2 signal\$1 or maxim\$3 near2 signal\$1 or strongest near2 carrier\$1 or highest near2 carrier\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 carrier\$1 or best near2 carrier\$1 or best near2 signal\$1) same (diversity near2 receiv\$3 or plural\$3 near2 receiv\$3 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel adj2 signal\$1 or parallel near2 receiv\$3 or diversity near3 path\$1)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
7	2005/06/20 17:40			
8	2005/06/20 17:39			
9	2005/06/20 17:48			

	Type	L #	Hits	Search Text	DBs
10	BRS	L10	5	(filter\$3 with attenuat\$4 or filter\$3 near3 ajust\$5) same (strongest near3 signal\$1 or highest near2 signal\$1 or big\$4 near2 signal\$1 or optim\$4 near2 signal\$1 or maxim\$3 near2 signal\$1 or strongest near2 carrier\$1 or highest near2 carrier\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 carrier\$1 or best near2 carrier\$1 or best near2 signal\$1) same (diversity near2 receiv\$3 or plural\$3 near2 receiv\$3 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel adj2 signal\$1 or parallel near2 receiv\$3 or diversity near3 path\$1)	US- PGPUB; USPAT; EPO; JPO
11	BRS	L11	1	10 not 9	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
10	2005/06/20 17:49			
11	2005/06/20 17:48			

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	5	(filter\$3 with attenuat\$4 or filter\$3 near3 ajdust\$5) same (strongest near3 signal\$1 or highest near2 signal\$1 or big\$4 near2 signal\$1 or optim\$4 near2 signal\$1 or maxim\$3 near2 signal\$1 or strongest near2 carrier\$1 or highest near2 carrier\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 carrier\$1 or best near2 carrier\$1 or best near2 signal\$1) same (diversity near2 receiv\$3 or plural\$3 near2 receiv\$3 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel adj2 signal\$1 or parallel near2 receiv\$3 or diversity near3 path\$1)	US- PGPUB; USPAT; EPO; JPO
13	BRS	L14	156	13 and (adjust\$5 or attenuat\$4)	US- PGPUB; USPAT; EPO; JPO
14	BRS	L15	42	13 same (adjust\$5 or attenuat\$4)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
12	2005/06/20 17:49			
13	2005/06/20 17:50			
14	2005/06/20 17:50			

	Type	L #	Hits	Search Text	DBs
15	BRS	L13	205	(filter\$3)same (strongest near3 signal\$1 or highest near2 signal\$1 or big\$4 near2 signal\$1 or optim\$4 near2 signal\$1 or maxim\$3 near2 signal\$1 or strongest near2 carrier\$1 or highest near2 carrier\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 carrier\$1 or best near2 carrier\$1 or best near2 signal\$1) same (diversity near2 receiv\$3 or plural\$3 near2 receiv\$3 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel adj2 signal\$1 or parallel near2 receiv\$3 or diversity near3 path\$1)	US- PGPUB; USPAT; EPO; JPO
16	BRS	L16	45	(filter\$3)same (strongest adj3 channel\$1 or highest adj3 channel\$1 or big\$4 adj3 channel\$1 or optim\$4 adj3 channel\$1 or maxim\$3 adj3 channel\$1 or strongest adj3 channel\$1 or highest adj3 channel\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 carrier\$1 or best adj3 channel\$1 or best near2 signal\$1) same (diversity near2 receiv\$3 or plural\$3 near2 receiv\$3 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel adj2 signal\$1 or parallel near2 receiv\$3 or diversity near3 path\$1)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
15	2005/06/20 17:52			
16	2005/06/20 18:09			



	Type	L #	Hits	Search Text	DBs
17	BRS	L18	0	(filter\$3 near3 attenuat\$4 or filter\$3 near3 adjust\$5 or FIR\$1 near3 attenuat\$4 or FIR\$1 near3 ajust\$5 or IIR\$1 near3 attenuat\$4 or IIR\$1 near3 adjust\$5) same (strongest adj3 band\$6 or highest adj3 band\$6 or big\$4 adj3 channel\$1 or optim\$4 adj3 band\$6 or maxim\$3 adj3 band\$6 or strongest adj3 channel\$1 or highest adj3 channel\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 band\$6 or best adj3 band\$6 or best near2 signal\$1 or greatest near2 signal\$1 or greatest near2 qualit\$3 or greatest near2 channel or greatest near3 band\$6) same (diversity near2 receiv\$3 or plural\$3 near2 receiv\$3 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel adj2 signal\$1 or parallel near2 receiv\$3 or diversity near3 path\$1)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
17	2005/06/20 18:23			

	Type	L #	Hits	Search Text	DBs
18	BRS	L17	53	(filter\$3)same (strongest adj3 band\$6 or highest adj3 band\$6 or big\$4 adj3 channel\$1 or optim\$4 adj3 band\$6 or maxim\$3 adj3 band\$6 or strongest adj3 channel\$1 or highest adj3 channel\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 band\$6 or best adj3 band\$6 or best near2 signal\$1 or greatest near2 signal\$1 or greatest near2 qualit\$3 or greatest near2 channel or greatest near3 band\$6) same (diversity near2 receiv\$3 or plural\$3 near2 receiv\$3 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel adj2 signal\$1 or parallel near2 receiv\$3 or diversity near3 path\$1)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
18	2005/06/20 18:16			

	Type	L #	Hits	Search Text	DBs
19	BRS	L19	102	(filter\$3 near3 attenuat\$4 or filter\$3 near3 adjust\$5 or FIR\$1 near3 attenuat\$4 or FIR\$1 near3 ajust\$5 or IIR\$1 near3 attenuat\$4 or IIR\$1 near3 adjust\$5) with(strongest adj3 band\$6 or highest adj3 band\$6 or big\$4 adj3 channel\$1 or optim\$4 adj3 band\$6 or maxim\$3 adj3 band\$6 or strongest adj3 channel\$1 or highest adj3 channel\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 band\$6 or best adj3 band\$6 or best near2 signal\$1 or greatest near2 signal\$1 or greatest near2 qualit\$3 or greatest near2 channel or greatest near3 band\$6 or best adj2 channel\$1 or greatest adj2 channel\$1 or strongest adj2 channel\$1 or highest adj2 channel\$1 or optim\$4 adj2 channel\$1)	US- PGPUB; USPAT; EPO; JPO
20	BRS	L20	468	(CMDA near2 receiv\$3 or diversity near3 combin\$4 or plural\$3 near2 receiv\$3 or multi\$3 near2 receiv\$3 or parallel near2 receiv\$3 or rake near2 combin\$16 or rake near2 finger\$1 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel near2 path\$1) with (select\$3 near3 best\$1 or select\$4 near3 strong\$3 or select\$4 near3 highest or select\$4 near3 big\$4 or select\$4 near3 tallest or select\$4 near3 most)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
19	2005/06/20 18:36			
20	2005/06/20 18:48			

	Type	L #	Hits	Search Text	DBs
21	BRS	L21	46	(CMDA near2 receiv\$3 or diversity near3 combin\$4 or plural\$3 near2 receiv\$3 or multi\$3 near2 receiv\$3 or parallel near2 receiv\$3 or rake near2 combin\$16 or rake near2 finger\$1 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel near2 path\$1) with (identif\$4 near3 best\$1 or identif\$4 near3 strong\$3 or identif\$4 near3 highest or identif\$4 near3 big\$4 or identif\$4 near3 tallest or identif\$4 near3 most)	US- PGPUB; USPAT; EPO; JPO
22	BRS	L22	100	(CMDA near2 receiv\$3 or diversity near3 combin\$4 or plural\$3 near2 receiv\$3 or multi\$3 near2 receiv\$3 or parallel near2 receiv\$3 or rake near2 combin\$16 or rake near2 finger\$1 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel near2 path\$1) with (detect\$4 near3 best\$1 or detect\$4 near3 strong\$3 or detect\$4 near3 highest or detect\$4 near3 big\$4 or detect\$4 near3 tallest or detect\$4 near3 most)	US- PGPUB; USPAT; EPO; JPO
23	BRS	L23	0	19 and (20 or 21 or 22)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
21	2005/06/20 18:31			
22	2005/06/20 18:32			
23	2005/06/20 18:31			



	Type	L #	Hits	Search Text	DBs
24	BRS	L24	137	(CMDA near2 receiv\$3 or diversity near3 combin\$4 or plural\$3 near2 receiv\$3 or multi\$3 near2 receiv\$3 or parallel near2 receiv\$3 or rake near2 combin\$16 or rake near2 finger\$1 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel near2 path\$1) same (identif\$4 near3 best\$1 or identif\$4 near3 strong\$3 or identif\$4 near3 highest or identif\$4 near3 big\$4 or identif\$4 near3 tallest or identif\$4 near3 most)	US- PGPUB; USPAT; EPO; JPO
25	BRS	L25	137	(CMDA near2 receiv\$3 or diversity near3 combin\$4 or plural\$3 near2 receiv\$3 or multi\$3 near2 receiv\$3 or parallel near2 receiv\$3 or rake near2 combin\$16 or rake near2 finger\$1 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel near2 path\$1) same (identif\$4 near3 best\$1 or identif\$4 near3 strong\$3 or identif\$4 near3 highest or identif\$4 near3 big\$4 or identif\$4 near3 tallest or identif\$4 near3 most)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
24	2005/06/20 18:34			
25	2005/06/20 18:31			

	Type	L #	Hits	Search Text	DBs
26	BRS	L26	232	(CMDA near2 receiv\$3 or diversity near3 combin\$4 or plural\$3 near2 receiv\$3 or multi\$3 near2 receiv\$3 or parallel near2 receiv\$3 or rake near2 combin\$16 or rake near2 finger\$1 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel near2 path\$1) same (detect\$4 near3 best\$1 or detect\$4 near3 strong\$3 or detect\$4 near3 highest or detect\$4 near3 big\$4 or detect\$4 near3 tallest or detect\$4 near3 most)	US- PGPUB; USPAT; EPO; JPO
27	BRS	L27	1064	(CMDA near2 receiv\$3 or diversity near3 combin\$4 or plural\$3 near2 receiv\$3 or multi\$3 near2 receiv\$3 or parallel near2 receiv\$3 or rake near2 combin\$16 or rake near2 finger\$1 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel near2 path\$1) same (select\$3 near3 best\$1 or select\$4 near3 strong\$3 or select\$4 near3 highest or select\$4 near3 big\$4 or select\$4 near3 tallest or select\$4 near3 most)	US- PGPUB; USPAT; EPO; JPO
28	BRS	L28	2	(27 or 26 or 25 or 24) and 19	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
26	2005/06/20 18:36			
27	2005/06/20 18:37			
28	2005/06/20 18:33			

	Type	L #	Hits	Search Text	DBs
29	BRS	L29	608	(filter\$ or IIR\$1 or FIR\$1) same (identif\$4 adj3 best\$1 or identif\$4 adj3 strong\$3 or identif\$4 adj3 highest or identif\$4 adj3 big\$4 or identif\$4 adj3 tallest or identif\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO
30	BRS	L30	2489	(filter\$3 or FIR\$1 or IIR\$1 ) with(strongest adj3 band\$6 or highest adj3 band\$6 or big\$4 adj3 channel\$1 or optim\$4 adj3 band\$6 or maxim\$3 adj3 band\$6 or strongest adj3 channel\$1 or highest adj3 channel\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 band\$6 or best adj3 band\$6 or best near2 signal\$1 or greatest near2 signal\$1 or greatest near2 qualit\$3 or greatest near2 channel or greatest near3 band\$6 or best adj2 channel\$1 or greatest adj2 channel\$1 or strongest adj2 channel\$1 or highest adj2 channel\$1 or optim\$4 adj2 channel\$1)	US- PGPUB; USPAT; EPO; JPO
31	BRS	L31	1311	(filter\$3 or FIR\$1 or IIR\$1) same (detect\$4 adj3 best\$1 or detect\$4 adj3 strong\$3 or detect\$4 adj3 highest or detect\$4 adj3 big\$4 or detect\$4 adj3 tallest or detect\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
29	2005/06/20 18:40			
30	2005/06/20 18:40			
31	2005/06/20 18:41			

	Type	L #	Hits	Search Text	DBs
32	BRS	L32	2365	(filter\$ or FIR\$1 or IIR\$1) same (select\$3 adj3 best\$1 or select\$4 adj3 strong\$3 or select\$4 adj3 highest or select\$4 adj3 big\$4 or select\$4 adj3 tallest or select\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO
33	BRS	L33	226	(filter\$ or IIR\$1 or FIR\$1) with (identif\$4 adj3 best\$1 or identif\$4 adj3 strong\$3 or identif\$4 adj3 highest or identif\$4 adj3 big\$4 or identif\$4 adj3 tallest or identif\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO
34	BRS	L34	492	(filter\$3 or FIR\$1 or IIR\$1)with (detect\$4 adj3 best\$1 or detect\$4 adj3 strong\$3 or detect\$4 adj3 highest or detect\$4 adj3 big\$4 or detect\$4 adj3 tallest or detect\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO
35	BRS	L35	492	(filter\$3 or FIR\$1 or IIR\$1) with (detect\$4 adj3 best\$1 or detect\$4 adj3 strong\$3 or detect\$4 adj3 highest or detect\$4 adj3 big\$4 or detect\$4 adj3 tallest or detect\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO
36	BRS	L36	1079	(filter\$ or FIR\$1 or IIR\$1) with (select\$3 adj3 best\$1 or select\$4 adj3 strong\$3 or select\$4 adj3 highest or select\$4 adj3 big\$4 or select\$4 adj3 tallest or select\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
32	2005/06/20 18:39			
33	2005/06/20 18:42			
34	2005/06/20 18:39			
35	2005/06/20 18:39			
36	2005/06/20 18:39			



	Type	L #	Hits	Search Text	DBs
37	BRS	L37	10	(filter\$ near3 attenuat\$4 or filter\$3 near3 adjust\$5) same (identif\$4 adj3 best\$1 or identif\$4 adj3 strong\$3 or identif\$4 adj3 highest or identif\$4 adj3 big\$4 or identif\$4 adj3 tallest or identif\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO
38	BRS	L38	101	(filter\$3 near3 attenuat\$4 or filter\$3 near3 adjust\$5 ) with(strongest adj3 band\$6 or highest adj3 band\$6 or big\$4 adj3 channel\$1 or optim\$4 adj3 band\$6 or maxim\$3 adj3 band\$6 or strongest adj3 channel\$1 or highest adj3 channel\$1 or big\$4 near2 carrier\$1 or optima\$4 near2 carrier\$1 or maxim\$3 near2 band\$6 or best adj3 band\$6 or best near2 signal\$1 or greatest near2 signal\$1 or greatest near2 qualit\$3 or greatest near2 channel or greatest near3 band\$6 or best adj2 channel\$1 or greatest adj2 channel\$1 or strongest adj2 channel\$1 or highest adj2 channel\$1 or optim\$4 adj2 channel\$1)	US- PGPUB; USPAT; EPO; JPO
39	BRS	L39	3	(filter\$3 near3 attenuat\$4 or filter\$3 near3 adjust\$5) with (detect\$4 adj3 best\$1 or detect\$4 adj3 strong\$3 or detect\$4 adj3 highest or detect\$4 adj3 big\$4 or detect\$4 adj3 tallest or detect\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
37	2005/06/20 18:40			
38	2005/06/20 18:41			
39	2005/06/20 18:41			

	Type	L #	Hits	Search Text	DBs
40	BRS	L40	2	(filter\$ near3 attenuat\$4 or filter\$3 near3 adjust\$5) with (identif\$4 adj3 best\$1 or identif\$4 adj3 strong\$3 or identif\$4 adj3 highest or identif\$4 adj3 big\$4 or identif\$4 adj3 tallest or identif\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO
41	BRS	L41	2	(filter\$ near3 attenuat\$4 or filter\$3 near3 adjust\$5) with (identif\$4 adj3 best\$1 or identif\$4 adj3 strong\$3 or identif\$4 adj3 highest or identif\$4 adj3 big\$4 or identif\$4 adj3 tallest or identif\$4 adj3 most)	US- PGPUB; USPAT; EPO; JPO
42	BRS	L42	114	37 or 38 or 39 or 40 or 41	US- PGPUB; USPAT; EPO; JPO
43	BRS	L43	34	(CMDA near2 receiv\$3 or diversity near3 combin\$4 or plural\$3 near2 receiv\$3 or multi\$3 near2 receiv\$3 or parallel near2 receiv\$3 or rake near2 combin\$16 or rake near2 finger\$1 or multi\$3 near2 path\$1 or plural\$3 near2 path\$1 or parallel near2 path\$1) and 42	US- PGPUB; USPAT; EPO; JPO
44	BRS	L44	124	filter\$3 near3 strongest	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
40	2005/06/20 18:41			
41	2005/06/20 18:42			
42	2005/06/20 18:42			
43	2005/06/20 18:53			
44	2005/06/20 18:54			

	Type	L #	Hits	Search Text	DBs
45	BRS	L45	3800	filter\$3 near3 best	US- PGPUB; USPAT; EPO; JPO
46	BRS	L46	1761	filter\$3 near3 highest	US- PGPUB; USPAT; EPO; JPO
47	BRS	L47	444	filter\$3 near3 big\$4	US- PGPUB; USPAT; EPO; JPO
48	BRS	L48	12290	filter\$3 near3 most	US- PGPUB; USPAT; EPO; JPO
49	BRS	L49	28	(44 or 45 or 46 or 47 or 48) with (plural\$3 adj2 path\$1 or multi\$3 adj2 path\$3 or plural\$3 adj3 signal\$1 or multi\$3 adj2 signal\$1 or parallel adj2 signal\$1 or prallel adj2 input\$1 or mulit\$3 adj2 input\$1 or plural\$3 adj2 input\$1 or diversity near2 signal\$1 or plural\$3 adj2 antenna\$3 or multi\$3 adj2 antenn\$3 or first adj3 second adj2 input\$1 or first adj2 second adj2 antenna\$3 or first adj2 second adj2 signal\$1)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
45	2005/06/20 18:54			
46	2005/06/20 18:54			
47	2005/06/20 18:54			
48	2005/06/20 18:55			
49	2005/06/20 19:04			

	Type	L #	Hits	Search Text	DBs
50	BRS	L50	4	(best near3 demodulat\$4 or greatest near3 demodulat\$4 or strongest near3 demodulat\$4 or tallest near3 demodulat\$4 or biggest near3 demodulat\$4 or highest near3 demodulat\$4 or optim\$4 near3 demodulat\$4 or maxim\$4 near3 demdoulat\$4) with (filter\$3 near4 attenuat\$4 or filter\$3 near3 adjust\$5)	US- PGPUB; USPAT; EPO; JPO
51	BRS	L51	8	(best near3 demodulat\$4 or greatest near3 demodulat\$4 or strongest near3 demodulat\$4 or tallest near3 demodulat\$4 or biggest near3 demodulat\$4 or highest near3 demodulat\$4 or optim\$4 near3 demodulat\$4 or maxim\$4 near3 demdoulat\$4) same (filter\$3 near4 attenuat\$4 or filter\$3 near3 adjust\$5)	US- PGPUB; USPAT; EPO; JPO
52	BRS	L52	430	(best near3 demodulat\$4 or greatest near3 demodulat\$4 or strongest near3 demodulat\$4 or tallest near3 demodulat\$4 or biggest near3 demodulat\$4 or highest near3 demodulat\$4 or optim\$4 near3 demodulat\$4 or maxim\$4 near3 demdoulat\$4) with( select\$4 or switch\$3 or detect\$3 or determin\$3)	US- PGPUB; USPAT; EPO; JPO
53	BRS	L53	2	52 same (filter\$3 near4 attenuat\$4 or filter\$3 near3 adjust\$5)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
50	2005/06/20 19:07			
51	2005/06/20 19:09			
52	2005/06/20 19:16			
53	2005/06/20 19:09			



	Type	L #	Hits	Search Text	DBs
54	BRS	L54	34	52 and (filter\$3 near4 attenuat\$4 or filter\$3 near3 adjust\$5)	US- PGPUB; USPAT; EPO; JPO
55	BRS	L55	26	(largest near3 demodulat\$4) with( select\$4 or switch\$3 or detect\$3 or determin\$3)	US- PGPUB; USPAT; EPO; JPO
56	BRS	L56	0	55 and (filter\$3 near4 attenuat\$4 or filter\$3 near3 adjust\$5)	US- PGPUB; USPAT; EPO; JPO
57	BRS	L57	14	55 and (filter\$3)	US- PGPUB; USPAT; EPO; JPO
58	BRS	L58	56	posti-harri.in.	US- PGPUB; USPAT; EPO; JPO
59	BRS	L59	1	58 and (filter\$3 with strongest or filter\$3 with largest or filter\$3 with best or filter\$3 with highest)	US- PGPUB; USPAT; EPO; JPO

	Time Stamp	Comments	Error Definition	Errors
54	2005/06/20 19:16			
55	2005/06/20 19:16			
56	2005/06/20 19:16			
57	2005/06/20 19:16			
58	2005/06/20 19:21			
59	2005/06/20 19:21			

Day : Monday  
Date: 6/20/2005**PALM INTRANET**

Time: 19:23:56

**Inventor Name Search Result**

Your Search was:

Last Name = POSTI

First Name = HARRI

Application#	Patent#	Status	Date Filed	Title	Inventor Name 32
<u>10485523</u>	Not Issued	030	02/02/2004	METHOD FOR IMPLEMENTING SERVICE IN RADIO SYSTEM USER EQUIPMENT OF RADIO SYSTEM AND RADIO SYSTEM	POSTI, HARRI
<u>10477717</u>	Not Issued	041	01/15/2004	METHOD OF CHANNEL ALLOCATION FOR A MOBILE TERMINAL MOVING IN A CELLULAR COMMUNICATION NETWORK	POSTI, HARRI
<u>09887481</u>	Not Issued	061	06/22/2001	MULTI-FREQUENCY TRANSMITTER USING PREDISTORTION AND A METHOD OF TRANSMITTING	POSTI, HARRI
<u>09875335</u>	Not Issued	071	06/06/2001	DEVICE AND METHOD FOR REDUCING THE AMPLITUDE OF SIGNALS	POSTI, HARRI
<u>09749161</u>	6701135	150	12/27/2000	POWER CONTROL IN A MULTI-CARRIER RADIO TRANSMITTER	POSTI, HARRI
<u>09743924</u>	6782263	150	03/07/2001	DYNAMIC CHANNEL ALLOCATION METHOD IN CELLULAR RADIO NETWORK AND SYSTEM FOR CHANNEL ALLOCATION	POSTI, HARRI
<u>09582000</u>	6788729	150	06/21/2000	FREQUENCY HOPPING METHOD AND BASE STATION	POSTI, HARRI
<u>09549102</u>	6810027	150	04/12/2000	MULTI-CARRIER TRANSMITTING APPARATUS AND METHOD	POSTI, HARRI
<u>09506735</u>	Not Issued	071	02/18/2000	HIGH-SPEED DATA TRANSMISSION IN A DIGITAL MOBILE COMMUNICATION SYSTEM	POSTI, HARRI
<u>09422599</u>	Not Issued	161	10/21/1999	CHANNEL SELECTION METHOD IN GSM/DCS-BASED CELLULAR RADIO NETWORK	POSTI, HARRI

<u>09367568</u>	<u>6442387</u>	150	02/09/2000	METHOD OF ESTIMATING INTERFERENCE LEVEL IN A RADIO SYSTEM	POSTI, HARRI
<u>09357180</u>	<u>6466794</u>	150	07/20/1999	CHANNEL ALLOCATION IN A MOBILE COMMUNICATIONS SYSTEM	POSTI, HARRI
<u>09355086</u>	<u>6434392</u>	150	09/21/1999	METHOD OF IMPLEMENTING DYNAMIC CHANNEL ALLOCATION IN A CELLULAR RADIO SYSTEM	POSTI, HARRI
<u>09355049</u>	<u>6430173</u>	150	08/12/1999	RECEPTION METHOD AND RECEIVER	POSTI, HARRI
<u>09341992</u>	<u>6292661</u>	150	09/21/1999	METHOD OF IMPLEMENTING A HANDOVER IN A CELLULAR RADIO SYSTEM	POSTI, HARRI
<u>09308943</u>	<u>6738365</u>	150	06/24/1999	METHOD OF IMPROVING CONNECTION QUALITY AND SYSTEM CAPACITY, AND A CELLULAR RADIO SYSTEM	POSTI, HARRI
<u>09308887</u>	<u>6498932</u>	150	07/28/1999	METHOD AND AN APPARATUS FOR DETERMINING THE PATHLOSS BETWEEN A BASE TRANSCEIVER STATION AND A MOBILE STATION IN A MOBILE RADIO NETWORK	POSTI, HARRI
<u>09254928</u>	<u>6639908</u>	150	03/17/1999	METHOD OF FACILITATING TRANSMISSION LEVEL MEASUREMENT, AND BASE STATION	POSTI, HARRI
<u>09010722</u>	<u>6266330</u>	150	01/22/1998	DYNAMIC ALLOCATION OF RADIO CAPACITY IN TDMA SYSTEM	POSTI, HARRI
<u>08895000</u>	<u>6058317</u>	150	12/22/1997	A BASE STATION HAVING AT LEAST TWO RADIO SET UNITS LOCATED AT A DISTANCE FROM A CENTRAL PROCESSING UNIT AND A METHOD OF USING THE SAME	POSTI, HARRI
<u>08875041</u>	<u>6002919</u>	150	07/03/1997	RADIO SYSTEM FOR CORDLESS SUBSCRIBER LINE INTERFACE	POSTI, HARRI
<u>08860626</u>	Not Issued	161	07/03/1997	RADIO SYSTEM FOR CORDLESS SUBSCRIBER LINE INTERFACE	POSTI, HARRI
<u>08836948</u>	<u>5999817</u>	150	05/09/1997	METHOD FOR PERFORMING ENCODING IN A CELLULAR NETWORK	POSTI, HARRI
<u>08817963</u>	<u>6570860</u>	150	03/27/1997	DATA TRANSMISSION METHOD IN A TDMA MOBILE COMMUNICATION SYSTEM	POSTI, HARRI
<u>08817331</u>	<u>6240079</u>	150	06/30/1997	DATA TRANSMISSION METHOD	POSTI, HARRI

				IN A TDMA MOBILE COMMUNICATION SYSTEM	
<u>08737447</u>	<u>6005857</u>	150	11/08/1996	METHOD AND ARRANGEMENT FOR HIGH-SPEED DATA TRANSMISSION IN TDMA MOBILE TELECOMMUNICATIONS SYSTEM	POSTI, HARRI
<u>08676043</u>	<u>5991627</u>	150	07/05/1996	CONTROL OF HANDOVER AND TRANSMISSION POWER CONTROL OF MOBILE STATION IN A MOBILE TELECOMMUNICATIONS SYSTEM	POSTI, HARRI
<u>08676024</u>	<u>6072787</u>	150	07/05/1996	HIGH-SPEED DATA TRANSMISSION IN A DIGITAL MOBILE COMMUNICATION SYSTEM	POSTI, HARRI
<u>08676023</u>	<u>6148209</u>	150	05/05/1996	HIGH-SPEED DATA TRANSMISSION IN A DIGITAL MOBILE COMMUNICATION SYSTEM	POSTI, HARRI
<u>08675893</u>	<u>6567389</u>	150	07/05/1996	METHOD AND ARRANGEMENT FOR HIGH-SPEED DATA TRANSMISSION IN A MOBILE TELECOMMUNICATIONS SYSTEM	POSTI, HARRI
<u>08591557</u>	<u>5898925</u>	150	04/04/1996	METHOD AND ARRANGEMENT FOR EFFECTING TRANSMISSION POWER CONTROL AND/OR HANDOVER OF A MOBILE STATION ASSIGNED TWO OR MORE TIME SLOTS PER FRAME IN A TDMA TELECOMMUNICATIONS SYSTEM.	POSTI, HARRI
<u>08582915</u>	<u>5729534</u>	150	01/04/1996	DYNAMIC ALLOCATION OF RADIO CAPACITY IN A TDMA SYSTEM	POSTI, HARRI

Inventor Search Completed: No Records to Display.

Search Another: Inventor
 

Last Name	First Name
POSTI	HARRI

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)